

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6751705".pn.	USPAT	OR	OFF	2006/07/26 09:48
L2	25	09/932651	USPAT	OR	OFF	2006/07/26 09:48
L3	31	(US-20050076255-\$ or US-20050024828-\$ or US-20040255171-\$ or US-20040228087-\$ or US-20040128562-\$ or US-20040103327-\$ or US-20040030944-\$ or US-20040003303-\$ or US-20030130969-\$ or US-20020053684-\$ or US-20020049920-\$ or US-20020007463-\$).did. or (US-7062304-\$ or US-7058828-\$ or US-7051215-\$ or US-6976112-\$ or US-6970948-\$ or US-6915438-\$ or US-6901521-\$ or US-6859882-\$ or US-6837063-\$ or US-6785592-\$ or US-6661671-\$ or US-6502203-\$ or US-6018625-\$ or US-5974557-\$ or US-4851965-\$).did. or (GB-2342471-\$ or EP-1182556-\$ or EP-1182538-\$ or EP-1096360-\$). did.	US-PGPUB; USPAT; EPO	OR	OFF	2006/07/26 09:51
L4	9	3 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:24
L5	6	("5416834" "5930496" "5943232" "6295566" "6473827" "6687837").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 10:45
L6	0	("6976112").URPN.	USPAT	OR	OFF	2006/07/26 10:48
L7	2792	((stor\$3 or download\$3 or enter\$3 or receiv\$3 or set\$4) near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) same ((power or energy or thermal or temperature or heat) near3 (plan\$1 or polic\$3 or budget\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:00
L8	1505	((stor\$3 or download\$3 or enter\$3 or receiv\$3 or set\$4) near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) with ((power or energy or thermal or temperature or heat) near3 (plan\$1 or polic\$3 or budget\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:54

EAST Search History

L9	85	7 same (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:01
L10	30	8 with (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:55
L11	10	9 same (power adj consumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:58
L12	3	10 with (power adj consumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:07
L13	1	9 same ((thermal or temperature) near2 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:59
L14	9	9 and ((thermal or temperature) near2 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:06
L15	1	10 and ((thermal or temperature) near2 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:59
L16	444	((stor\$3 or download\$3 or enter\$3 or receiv\$3 or set\$4) near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) same ((power or energy or thermal or temperature or heat) near3 (plan or polic\$3 or budget))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:00
L17	177	((stor\$3 or download\$3 or enter\$3 or receiv\$3 or set\$4) near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) with ((power or energy or thermal or temperature or heat) near3 (plan or polic\$3 or budget))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:39

EAST Search History

L18	17	16 same (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:20
L19	4	17 with (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:01
L20	146	("5560022").URPN.	USPAT	OR	OFF	2006/07/26 11:05
L21	96	20 and (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:06
L22	0	21 and ((thermal or temperature) near2 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:17
L23	24	21 and (power adj consumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:18
L24	8	("4747041" "5283905" "5291607" "5349668" "5404546" "5408669" "5410711" "5414860").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 11:15
L25	111	16 and (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:17
L26	39	17 and (blade\$1 or card\$1 or rack\$1 or chassis or shelf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:17
L27	8	25 and ((thermal or temperature) near2 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:17
L28	4	26 and ((thermal or temperature) near2 load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:18

EAST Search History

L29	64	25 and (power adj consumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:18
L30	22	26 and (power adj consumption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:18
L31	11	16 same (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:31
L32	4	17 with (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:35
L33	7	("20030020333" "20030084359" "20030200473" "5339445" "5560022" "6223056" "6489793").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 11:22
L34	4	17 same ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:29
L36	1	17 with ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:24
L37	8	16 same ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:41
L38	8	("4716543" "5127098" "5586333" "5619707" "5787292" "5832280" "5860016" "6341354").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 11:29
L39	1	("6877098").URPN.	USPAT	OR	OFF	2006/07/26 11:30

EAST Search History

L40	35	(US-20020049920-\$ or US-20040255171-\$ or US-20050024828-\$ or US-20020053684-\$ or US-20040030944-\$ or US-20050076255-\$ or US-20030130969-\$ or US-20020007463-\$ or US-20040128562-\$ or US-20040103327-\$ or US-20040228087-\$ or US-20040003303-\$).did. or (US-4851965-\$ or US-6837063-\$ or US-6785592-\$ or US-6018625-\$ or US-7051215-\$ or US-7062304-\$ or US-7058828-\$ or US-6970948-\$ or US-6976112-\$ or US-6915438-\$ or US-6661671-\$ or US-6901521-\$ or US-6859882-\$ or US-6502203-\$ or US-5974557-\$ or US-5704049-\$ or US-5560022-\$ or US-6925573-\$ or US-6877098-\$).did. or (EP-1182538-\$ or EP-1182556-\$ or GB-2342471-\$ or EP-1096360-\$). did.	US-PGPUB; USPAT; EPO	OR	OFF	2006/07/26 11:30
L41	11	40 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:35
L42	6	41 and (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:34
L43	2	"6587950".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:35
L44	0	43 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:35
L45	0	43 and (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:38

EAST Search History

L46	6	(management adj plan) same (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:41
L47	6	(management adj plan) with (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:38
L48	52380	((stor\$3 or download\$3 or enter\$3 or receiv\$3 or set\$4) near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) same ((power or energy or thermal or temperature or heat) near3 (plan or polic\$3 or budget or consumption or setting\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:45
L49	35908	((stor\$3 or download\$3 or enter\$3 or receiv\$3 or set\$4) near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) with ((power or energy or thermal or temperature or heat) near3 (plan or polic\$3 or budget or consumption or setting\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:40
L50	337	48 same (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:41
L51	86	49 with (blade\$1 or rack\$1 or chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:41
L52	2	50 same ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:43
L53	0	51 with ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:42
L54	28	50 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:47

EAST Search History

L55	8	51 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:42
L56	31	50 same (user or customer or operator or administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:44
L57	1	51 with (user or customer or operator or administrator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:44
L58	9348	(receiv\$3 near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) same ((power or energy or thermal or temperature or heat) near3 (plan or polic\$3 or budget or consumption or setting\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:49
L59	4391	(receiv\$3 near6 (data or configuration or parameter\$1 or value\$1 or setting\$1)) with ((power or energy or thermal or temperature or heat) near3 (plan or polic\$3 or budget or consumption or setting\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:46
L60	14	58 same rack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:47
L61	1	59 with rack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:46
L62	150	58 and rack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:49
L63	83	59 and rack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:47

EAST Search History

L64	46	62 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:48
L65	31	63 and ((user or customer or operator or administrator) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:48
L66	130	58 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:49
L67	13	66 and rack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:49
L68	16	("5484012" "5502838" "5752011" "5798918" "5881298" "5906315" "5940785" "6000036" "6029251" "6052268" "6119241" "6157989" "6397343" "6560658" "6639883" "6718474").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 11:54